

IKONOS

factory of coated - decoration - self adhesive films

World of innovation

NEW at Ikonos

printable PVC-free films



IKONOS

factory of coated - decoration - self adhesive films



Ikonos is one of the leading European manufacturers of LFP media for indoor and outdoor applications. We offer a wide range of products for interior decoration (dedicated for glass, walls, floors etc.) as well as materials for solvent, UV, screen and latex ink-jet printing technologies.

Our coating and laminating line is capable of producing various products and thus we are open to suggestions

of our customers. Our location (middle of Europe) guarantees short delivery time. The production capacity makes it possible to sell the media on the wholesale basis all over the Europe.

In our offer there are materials such as various types of glass decoration films, wallpapers, canvases, One Way Vision films, Backlights, Blockouts, Photo Papers, self-adhesive monomeric and polymeric PVC films

(matt and gloss, with grey, transparent or removable adhesive), laminating films, sandblasting PVC masks, etc.

Our most important advantages are continuity of production and constant & solid quality, which we have achieved thanks to our know-how, qualified workers, long years of experiences and dedication also being open to the market needs.



Rzeczpospolita
Polska



Unia Europejska
Europejski Fundusz
Rozwoju Regionalnego



Opolskie dla Rodziny

New products

MPT PP140+ TITAN	page	4.
PP140+	page	4.
4-Mount IKO-2 DOUBLE	page	5.
ANTIGRAFFITI GPT-ANT75+	page	5.
Wallpaper WMT 130 VSC latex UV	page	6.
Poster paper PosterPro WB200	page	8.
Poster paper PosterPro WB130	page	8.
Poster paper Blueback BB115 - Offset	page	9.
Poster paper Blueback BB115 - Universal	page	9.
Roll-up BLM Lino PP	page	10.



Best-sellers



Blockout BLM 600SM	page	10.
MRT D160+ LINO	page	12.
Floor lamiantion MPT F120+	page	13.
Frosted FPT-SILVER M80+	page	15.
Frosted FPT-SILVER P80+ AIR	page	15.
OWV PVC Film	page	20.

Main information board

LATEX	Latex-based ink	Water Based	Water based ink		Coat / surface
UV	UV print	CCK	Clay-coated kraft liner	PET	PET coat
eco SOL	Eco-solvent ink	PCK	Poly-coated kraft liner	PP	PP coat
mild SOL	Mild-solvent ink	PET	PET liner	PVC	PVC coat
hard SOL	Hard-solvent ink		Width	H ₂ O	Water-based adhesive
Screen Print	Screen printing		Composition	SOL	Solvent-based adhesive





IKONOS REVOLUTION



Your "PVC-free" printing film

high resistance | long durability | no shrinkage
high printing quality
indoor & outdoor application

**Ikonos Profiflex
MRT PP140+ TITAN**



Polypropylene / 140 μ



Permanent, transparent



One side siliconized 120 g/m²



0,914; 1,05; 1,10; 1,27 m

**Ikonos Proficoat
PP 140+**



Polypropylene / 140 μ



0,914; 1,05; 1,10; 1,27 m

Print



Print





New

Mounting film

The new generation of mounting film

- strong adhesive
- 100% optical clear
- PET protective film
- long durability
- indoor & outdoor application

Ikonos Profiflex

IKO-2 DOUBLE



Transparent, optical clear, 50 μ



Permanent, transparent adhesive



One side siliconized, 36 μ



0,914 m



New

Antigraffiti

The shield from vandalism

- 100% optical clear
- scratch resistant
- long durability
- high stability
- easy to clean
- indoor & outdoor application

Ikonos Profiflex

GPT_ANT-75+



Transparent, optical clear, 75 μ



Permanent, transparent adhesive



One side siliconized, 36 μ



1,27 m



Eco-friendly wallpaper

| PVC-free |


| FSC certified | recyclable |

| high stability | fast drying | non-woven |



Ikonos Proficoat Wallpaper

WMT 130 VSC latex UV


 White, matt, non-woven, wallpaper
/ 130 g/m²

 1,1 m

Print  

Ikonos Proficoat 4-Wall

WMT 300+


 White, matt, non-woven, wallpaper
/ 200 g/m²

 1,05 m

     **Print**

Ikonos Proficoat Wallpaper

WMT 200+

 White, matt, non-woven, wallpaper
/ 150 g/m²

 1,05 m

     **Print**



**Ikonos Proficoat Photo
PPM 220GL**



Gloss, photo paper
/ 250 g/m²



0,914; 1,10; 1,27; 1,52 m

Print



**Ikonos Canvas Picasso CVS
350SM**



Blended canvas / 353 g/m²



65% polyester + 35% cotton



0,914; 1,10; 1,27; 1,52 m

Print



**Ikonos Canvas
POLI 240**



Polyestert canvas / 240 g/m²



100% polyester



0,914; 1,10; 1,27; 1,52 m



Print



Poster papers - white back

vivid colours | water resistant | fast drying technology
fast printing | indoor & outdoor application

Ikonos Proficoat Prime ART WB200

- White back satin paper / 200 g/m²
- 0,914; 1,067; 1,27; 1,37; 1,62 m

Print

Ikonos Proficoat Postart WB130

- White back satin poster paper / 135 g/m²
- 0,914; 1,067; 1,27; 1,37; 1,52; 1,62 m

Print

Ikonos Proficoat PosterPro WB200



- Matt poster paper / 200 g/m²
- 1,067; 1,37; 1,62 m

Print

Ikonos Proficoat PosterPro WB130



- Matt poster paper / 130 g/m²
- 1,067; 1,37; 1,62 m

Print







Poster papers - blue back

vivid colours | water resistant | fast drying technology
indoor & outdoor application
fast printing

Ikonos Proficoat Postart BB130


 Blue back satin poster paper
/ 132 g/m²

 1,067; 1,27; 1,37; 1,62 m

     **Print**

Ikonos Proficoat Poster Paper BB115 - Offset

New


 White, matt, blueback paper
/ 115 g/m²

 1,27 m

Print **Offset** 

Ikonos Proficoat Poster Paper BB115 - Universal

New

 White, matt, blueback paper
/ 115 g/m²

 1,27 m

    **Print**



Roll-ups, POP-ups & POS

long durability | high stability | no curling effect | fast drying

Ikonos Proficoat BLM Lino PP



- White, semi-matt, blackout / 325 μ
- PP + Rigid PVC, structured grey-back
- 0,914; 1,10; 1,27 m

Print

Ikonos Proficoat BLM 610SM



- White, semi-matt, blackout / 260 μ
- PP + PET (50) + PP
- 0,914; 1,10; 1,27; 1,52 m

Print

Ikonos Proficoat BLM 600SM



- White, semi-matt, blackout / 185 μ
- PP + PP
- 0,914; 1,10; 1,27 m


Print

Ikonos Proficoat BLM 620SM



- White, semi-matt, blackout / 360 μ
- PP + PET (175) + PP
- 0,914; 1,10 m

Print



Backlit

long durability | fast drying | resistant to temperature | eco-friendly
vivid colours

Ikonos Proficoat Backlite
BUV 130SM



Translucent, semi matt / 185 µ



0,914; 1,10; 1,27; 1,52 m

Print



Ikonos Proficoat Backlite
CUV 175



Transparent, gloss / 175 µ



0,914; 1,10; 1,27; 1,37; 1,52 m



Print

Ikonos Proficoat Backlite
BAM 130SM



Translucent, semi matt / 205 µ



0,914; 1,10; 1,27; 1,37; 1,52 m

Print



Ikonos Proficoat Backlite
CLEAR CSL 200



Transparent, gloss / 200 µ



1,27 m



Print

Certified





Wall graphics

dedicated glue | easy to apply | high printing quality | vivid colours

Ikonos Profiflex DECO MRT D160+ LINO

PVC Polymeric, white, matt, embossed
/ 160 μ

H₂O Removable, transparent, high tack

CCK Two sided PE coated, one side
siliconized 140 g/m²

Rolls 1,05; 1,37 m

Ikonos Profiflex Floorlamination MRT FX 150+

PVC Monomeric, matt, white
/150 μ

H₂O Removable, transparent, high tack

CCK One side siliconized
/ 120 g/m²

Rolls 1,05; 1,37 m

Print **eco SOL** **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print**

eco SOL **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print** Print







Floor graphics

dedicated glue | easy to apply | high printing quality | vivid colours

ANTI-SLIPPERY certificate





**Ikonos Proficoat DECO
MRT WF 200 AIR+**



-  Monomeric, white, matt, embossed / 200 µ
-  Removable, transparent, structured, high tack
-  Two sided PE coated, one side siliconized 140 g/m²
-  1,37 m

**Ikonos Profiflex Floorlamination
MPT F120+**



-  Monomeric, matt, transparent, embossed / 120 µ
-  Permanent, transparent
-  One side siliconized 120 g/m²
-  1,05; 1,37; 1,60 m

Print







Certified









Ikonos Profiflex Quick-Stick MRT QS 100+

-  Monomeric, white, matt / 100 µ
-  Removable, point structure
-  One side siliconized 135 g/m²
-  1,05; 1,37 m





Ikonos Profiflex Quick-Stick GRT QS CLR

-  Monomeric, transparent, gloss / 100 µ
-  Removable, point structure
-  One side siliconized 135 g/m²
-  1,05; 1,37 m

Quick-Stick - do it yourself

- repositionable
- easy to apply
- high stability
- fast drying technology
- easy to remove

Ikonos Profiflex Quick-Stick MRT QS CLR





-  Monomeric, transparent, matt / 100 µ
-  Removable, point structure
-  One side siliconized 135 g/m²
-  1,05; 1,37 m

Print    LATEX UV 

   LATEX UV  Print







**Ikonos Profiflex DECO
FPT-SILVER M80+**

-  Monomeric, silver / 80 µ
-  Transparent, permanent
-  One side siliconized 121g/m²
-  1,27 m

Print      

**Ikonos Profiflex DECO
FPT-SILVER P80+**

-  Polymeric, silver / 80 µ
-  Transparent, permanent
-  One side siliconized 121 g/m²
-  1,05; 1,27; 1,37; 1,60 m

Print      

Glass-etch frosted





Available:

rose | green | blue

- printable
- wet application
- easy to remove
- high stability
- easy to apply

**Ikonos Profiflex DECO
FPT-SILVER P80 AIR+**



-  Polymeric, silver / 80 µ
-  Transparent, permanent, structured
-  Two-side PE, one side siliconized 144 g/m²
-  1,05; 1,27; 1,37; 1,60 m

      Print



Glass decoration

optical clear | easy application | long durability
high resistance to water & humidity | no shrinkage

Ikonos Profiflex Deco Art Series Linea
PPT LS38+ no.1



Silver, patterned, 38 μ



Permanent, transparent (crystal clear)



One side siliconized, 36 μ



1,51 m



Print



Ikonos Profiflex Deco Art Series Linea
PPT LW38+ no.2



Silver, patterned, 38 μ



Permanent, transparent (crystal clear)



One side siliconized, 36 μ




1,51 m



Print













Glass decoration


optical clear | easy application | long durability
high resistance to water & humidity | no shrinkage

Ikonos Profiflex Deco Art Series Linea PPT LS38+ no.3

-  Silver, patterned, 38 μ
-  Permanent, transparent (crystal clear)
-  One side siliconized, 36 μ
-  1,51 m

Ikonos Profiflex Deco Art Series Linea PPT LW38+ no.4

-  Silver, patterned, 38 μ
-  Permanent, transparent (crystal clear)
-  One side siliconized, 36 μ
-  1,51 m



Print  

  Print

Certified





Glass decoration

optical clear | easy application | long durability
high resistance to water & humidity | no shrinkage

**Ikonos Profiflex Deco Art Series Linea
PPT LS38+ no.5**



Silver, patterned, 38 μ



Permanent, transparent (crystal clear)



One side siliconized, 36 μ



1,51 m

**Ikonos Profiflex Deco Art Series Linea
PPT LW38+ no.6**



Silver, patterned, 38 μ




Permanent, transparent (crystal clear)



One side siliconized, 36 μ



1,51 m




Print



Print





Glass decoration

optical clear | easy application | long durability
high resistance to water & humidity | no shrinkage

**Ikonos Profiflex Deco Art Series Linea
PPT LS38+ no.7**



Silver, patterned, 38 μ



Permanent, transparent (crystal clear)



One side siliconized, 36 μ



1,51 m

**Ikonos Profiflex Deco Art Series Linea
PPT LW38+ no.8**



Silver, patterned, 38 μ





Permanent, transparent (crystal clear)



One side siliconized, 36 μ



1,51 m



Print



Print

Certified













Special printing films

vivid colours | sharp images | fast drying technology
dedicated for glass & window surfaces

Ikonos Profiflex PRO GRT BLM FX100+

-  Monomeric, white, gloss, blackout /100 µ
-  Removable, transparent
-  One side siliconized 135 g/m²
-  1,05; 1,37; 1,60 m

One Way Vision

-  Perforated, white, gloss /160 µ
-  Removable, transparent
-  One side siliconized 145 g/m²
-  1,06; 1,27; 1,37; 1,52 m

Print



Print





ECO-lamination films

eco-friendly | no shrinking | easy to clean

Ikonos Profiflex LAM-PRO
GPT L50A+



Transparent, gloss
/ 50 μ



Transparent, permanent



One side siliconized 120g/m²



1,05; 1,27; 1,37; 1,60 m

Ikonos Profiflex LAM-PRO
MPT L20A+



Transparent, matt
/ 20 μ



Transparent, permanent



One side siliconized 120g/m²



1,05; 1,37 m



Monomeric printing & lamination

Ikonos Profiflex PRO GPT/MPT FX 100+



- Monomeric, white, gloss - matt /100 μ
- Permanent, transparent
- One side siliconized 120 g/m² / 135 g/m²
- 1,05; 1,27; 1,37; 1,60 m

Print

Ikonos Profiflex PRO GPG/MPG FX 100+

- Monomeric, white, gloss - matt /100 μ
- Permanent, grey
- One side siliconized 120 g/m² / 135 g/m²
- 1,05; 1,27; 1,37; 1,60 m

Print

Ikonos Profiflex PRO GRT/MRT FX 100+

- Monomeric, white, gloss - matt /100 μ
- Removable, transparent
- One side siliconized 120 g/m² / 135 g/m²
- 1,05; 1,37; 1,60 m

Print

Ikonos Profiflex PRO GRG/MRG FX 100+

- Monomeric, white, gloss - matt /100 μ
- Removable, grey
- One side siliconized 120 g/m² / 135 g/m²
- 1,05; 1,37; 1,60 m

Print



Monomeric printing & lamination

Ikonos Profiflex PRO GPT/MPT FX 100 AIR+



PVC Monomeric, white, gloss - matt
/ 100 µ

H₂O Permanent, transparent, structured

PCK Two sides PE coated,
One side siliconized 140 g/m²

Rolls 1,05; 1,37 m

Print **eco SOL** **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print**

Ikonos Profiflex PRO GPT FX 80+

PVC Monomeric, white, gloss
/ 80 µ

H₂O Permanent, transparent

CCK One side siliconized 120 g/m²

Rolls 1,05; 1,27; 1,37 m

eco SOL **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print** Print

Ikonos Profiflex LAM+PRO GPT/MPT L80+



PVC Monomeric, transparent, gloss - matt
/ 100 µ

H₂O Permanent, transparent

CCK One side siliconized 120 g/m²

Rolls 1,05; 1,27; 1,37; 1,60 m

Print **eco SOL** **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print**

Ikonos Profiflex PRO GPT CLR

PVC Monomeric, transparent, gloss
/ 100 µ

H₂O Permanent, transparent

CCK One side siliconized 120 g/m² / 135 g/m²

Rolls 1,05; 1,27; 1,37; 1,60 m

eco SOL **mild SOL** **hard SOL** **LATEX** **UV** **Screen Print** Print



Polymeric - printing & lamination

Ikonos Profiflex PRO GPG P80 AIR+



- Polymeric, white, gloss / 80 μ
- Permanent, grey, structured
- Two sides PE coated, One side siliconized 140 g/m²
- 1,05; 1,37; 1,60 m

Print LATEX UV

Ikonos Profiflex PRO GPG/GPT P80+

- Polymeric, white, gloss / 80 μ
- Permanent, grey, transparent
- Two sides PE coated, One side siliconized 140 g/m²
- 1,05; 1,37; 1,60 m


LATEX UV Print

Ikonos Profiflex LAM+PRO MPT B80+


- Polymeric, white matt, translucent / 80 μ
- Permanent, transparent
- Two sides PE coated, One side siliconized 140 g/m²
- 1,05; 1,37 m

Print LATEX UV

Ikonos Profiflex PRO GPT/MPT LP75+



- Polymeric, transparent, gloss - matt / 75 μ
- Permanent, transparent
- One side siliconized 120 g/m²
- 1,05; 1,37; 1,60 m



Cast - printing & lamination

Ikonos Proficast GPG C50 AIR+



- White, gloss, polymeric cast / 50 μ
- Permanent, grey, structured, pressure-sensitive
- One-side siliconized / 145 g/m²
- 1,37; 1,52 m

Print LATEX

Ikonos Proficast GPG C50+

- White, gloss, polymeric cast / 50 μ
- Permanent, grey
- One-side siliconized / 130 g/m²
- 1,37; 1,52 m

LATEX Print

Ikonos Proficast LAM+PRO GPT LC40+



- Transparent, gloss, polymeric cast / 40 μ
- Permanent, transparent
- One-side siliconized / 120 g/m²
- 1,37; 1,52 m

Print LATEX

Ikonos Proficast LAM+PRO MPT LC40+



- Transparent, matt, polymeric cast / 40 μ
- Permanent, transparent
- One-side siliconized / 120 g/m²
- 1,37; 1,52 m

LATEX Print







Sandblast

task specialized | easy application | easy tooling | high durability | dedicated glue





Ikonos Profiflex Sandblast BRT 100+



-  Monomeric, grey, 100 μ
-  Removable, transparent, easy peel
-  One side siliconized 120 g/m²
-  0,61 m (option 1,27 m)





Ikonos Profiflex Sandblast BRT 200+



-  Monomeric, beige, 200 μ
-  Removable, transparent, easy peel
-  One side siliconized 120 g/m²
-  0,61 m (option 1,27 m)





Ikonos Profiflex Sandblast BRT 300+




-  Monomeric, green, 300 μ
-  Removable, transparent, easy peel
-  One side siliconized 120 g/m²
-  0,61 m (option 1,27 m)

Ikonos Profiflex Sandblast BRT 400+



-  Monomeric, green, 400 μ
-  Removable, transparent, easy peel
-  One side siliconized 120 g/m²
-  0,61 m (option 1,27 m)



Eco-friendly wate-based, pigment inks

vivid colours | sharp images | fast drying technology

Ikonos Aqua

MPT FX-W-100+



Coated, monomeric, white, matt
/ 275 µ



Transparent, permanent



One side siliconized 135g/m²



1,05 m

Ikonos Aqua

PPM W200 SM



White, matt, photo paper
/ 300 µ / 200 g/m²



0,914 m


Print



Print

Certified





Series	Symbol	Thick, μ	Monomeric	Polymeric	Cast	Color	Surface	Adhesive type	Width, m	Length, m	
Cast technology system											
Proficast	CAST-SYSTEM	GPG C50+	50		+	White	Gloss	Permanent, Grey, Solvent	1,37; 1,52;	50	
	CAST-SYSTEM	GPG C50 AIR+	50		+	White	Gloss	Permanent, Grey, Structured, Solvent	1,37; 1,52;	50	
	CAST-SYSTEM	LAM-PRO GPT LC40+	40		+	Transparent	Gloss	Permanent, Transparent, Solvent	1,37; 1,52;	50	
	CAST SYSTEM	LAM-PRO MPT LC40+	40		+	Transparent	Matt	Permanent, Transparent, Solvent	1,37; 1,52;	50	
Special Printing Vinyls											
Best-seller	PRO-PRINT	MRT D160+ LINO	160		+	White	Matt, Canvas structured	Removable, Transparent, HiTack	1,05; 1,37	30	
	Carbon	CRB 150+ AIR	150		+	Black	Carbon structure	Permanent, Transparent, Structured	1,52	15	
	Backlit	MPT B80+	80		+	Translucent	Matt	Permanent, Transparent	1,05; 1,37	25	
	Quick-Stick	MRT QS 100+	100		+	White	Matt	Removable, Point structure	1,05; 1,37	50	
	Quick-Stick	GRT QS CLR	100		+	Transparent	Gloss	Removable, Point structure	1,067; 1,37	50	
	Quick-Stick	MRT QS CLR	100		+	Transparent	Matt	Removable, Point structure	1,067; 1,37	50	
	Blockout	GPT BLM 100+	100		+	White	Gloss, blockout	Removable with HiTack, Transparent	1,05; 1,37; 1,60	50	
	PRO-PRINT	GPT FX 100+ TYTAN	100		+	White	Gloss	Permanent with ULTRA HIGH adhesive power	1,37	50	
	PRO-PRINT	MRT FX 150+	150		+	White	Matt	Removable with HiTack, Transparent	1,05; 1,37	50	
	4-Floor	MRT WF 200 AIR+	200		+	White	Matt, Embossed	Removable, Transparent, HiTack, Structured	1,37	30	
New	Perforated	OWV PVC Film	160		+	White	Gloss, Perforated	Removable, Transparent	1,06; 1,27; 1,37; 1,52	50	
	Mounting films										
	4-Mount	IKO-2 DOUBLE	50	PET		Transparent, optical clear	Gloss	Permanent, Transparent	0,914	30	
	Printing Vinyls										
	Profiflex	PRO-PRINT	GPT FX 100+	100		+	White	Gloss	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50
		PRO-PRINT	GPT FX 80+	80		+	White	Gloss	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50
		PRO-PRINT	MPT FX 100+	100		+	White	Matt	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50
		PRO-PRINT	GPT FX 100 AIR+	100		+	White	Gloss	Permanent, Transparent, Structured	1,05; 1,27; 1,37; 1,60	50
		PRO-PRINT	MPT FX 100 AIR+	100		+	White	Matt	Permanent, Transparent, Structured	1,05; 1,37	50
		PRO-PRINT	GPG FX 100+	100		+	White	Gloss	Permanent, Grey	1,05; 1,27; 1,37; 1,60	50
PRO-PRINT		MPG FX 100+	100		+	White	Matt	Permanent, Grey	1,05; 1,27; 1,37; 1,60	50	
PRO-PRINT		GRT FX 100+	100		+	White	Gloss	Removable, Transparent	1,05; 1,27; 1,37; 1,60	50	
PRO-PRINT		MRT FX 100 +	100		+	White	Matt	Removable, Transparent	1,05; 1,27; 1,37; 1,60	50	
PRO-PRINT		GRG FX 100+	100		+	White	Gloss	Removable, Grey	1,05; 1,37	50	
PRO-PRINT		MRG FX 100+	100		+	White	Matt	Removable, Grey	1,37	50	
PRO-PRINT		GPT CLR	100		+	Transparent	Gloss	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50	
PRO-PRINT		GPG P80 AIR+	80		+	White	Gloss	Permanent, Grey, Structured	1,05; 1,37; 1,60	50	
PRO-PRINT		GPG P80+	80		+	White	Gloss	Permanent, Grey	1,05; 1,37; 1,60	50	
PRO-PRINT		MPT PP140+ TITAN	140		+	White	Matt	Permanent, Transparent	0,914; 1,05; 1,10; 1,27	50	
Lamination Vinyls											
Best-seller	FLOOR-LAM	MPT F120+	120		+	Transparent	Matt, Embossed	Permanent, Transparent	1,05; 1,37; 1,60	50	
	LAM-PRO	GPT L80+	80		+	Transparent	Gloss	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50	
	LAM-PRO	MPT L80+	80		+	Transparent	Matt	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50	
	LAM-PRO	GPT LP75+	75		+	Transparent	Gloss	Permanent, Transparent	1,05; 1,37; 1,60	50	
	LAM-PRO	MPT LP75+	75		+	Transparent	Matt	Permanent, Transparent	1,05; 1,37	50	
	LAM-PRO	GPT L50A+	50	PP, Type cast		Transparent	Gloss	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	50	
	LAM-PRO	MPT L20A+	20	PP, Type BOPP		Transparent	Matt	Permanent, Transparent	1,05; 1,37	50	
	New	ANTIGRAFFITI	GPT-ANT75+	75	PET		Transparent, optical clear	Gloss	Permanent, Transparent	1,27	50



Series	Symbol	Thick, μ	Monomeric	Polymeric	Cast	Color	Surface	Adhesive type	Width, m	Length, m
Frosted Vinyls										
DECO	FPT-SILVER M80+	80	+			Silver	Glass-etch frosted	Permanent, Transparent	1,27	25
DECO	FPT-SILVER P80+	80		+		Silver	Glass-etch frosted	Permanent, Transparent	1,05; 1,27; 1,37; 1,60	25
DECO	FPT-SILVER P80+ AIR	80		+		Silver	Glass-etch frosted	Permanent, Transparent, Structured	1,05; 1,27; 1,37; 1,60	25
Sandblasting Vinyls										
Profi-Mask	Sandblast BRT 100+	100	+			Grey, Translucent	Matt	Removable, Transparent	0,61	20
Profi-Mask	Sandblast BRT 200+	200	+			Beige	Matt	Removable, Transparent	0,61	20
Profi-Mask	Sandblast BRT 300+	300	+			Green	Matt	Removable, Transparent	0,61	20
Profi-Mask	Sandblast BRT 400+	400	+			Green	Matt	Removable, Transparent	0,61	20
Deco-PET										
Deco Art	PPT LS38+ no. 1	38	PET			Optical clear + Light Silver	Stripes: 5 mm and 35 mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT LW38+ no. 2	38	PET			Optical clear + White	Stripes: 18 mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT LS38+ no. 3	38	PET			Optical clear + Dark Silver	Stripes: 10 mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT LS38+ no. 4	38	PET			Optical clear + Light Silver	Stripes: 44 mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT LS38+ no. 5	38	PET			Optical clear + Light Silver	Stripes: 18 mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT QW38+ no. 6	38	PET			Optical clear + White	Squares: 36 mm	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT QW38+ no. 7	38	PET			Optical clear + White	Stripes: 40mm width	Permanent, Transparent, Solvent	1,51	30
Deco Art	PPT PW38+ no. 8	38	PET			Optical clear + White	Hexagonal dots: 1,3 mm	Permanent, Transparent, Solvent	1,51	30
Backlit & Blockout										
Proficoat Blockout	BLM Lino PP	325	PP + rigid PVC			White, Semi-matt	Solvent (Eco / Mild / Hard) / UV / Latex		0,914	20
Proficoat Backlite	BAM 130SM	205	PET			Translucent, Semi-matt	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,10; 1,27; 1,37; 1,52	30; 50
Proficoat Backlite	CLEAR CSL 200	200	PET			Transparent, Gloss	Solvent (Eco / Mild / Hard) / Latex / UV		1,27	30; 50
Proficoat Backlite	BUV 130SM	185	PET			Translucent, Semi-matt	UV		0,914; 1,10; 1,27; 1,52	50; 100
Proficoat Backlite	CLEAR CUV 175	175	PET			Transparent, Gloss	UV		0,914; 1,10; 1,27; 1,52	50; 100
Proficoat Blockout	BLM 600SM	185	PP + PP			White, Semi-matt	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,10; 1,27; 1,52	50
Proficoat Blockout	BLM 610SM	260	PP + PET (75) + PP			White, Semi-matt	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,10; 1,27; 1,52	30; 50
Proficoat Blockout	BLM 620SM	360	PP + PET(175) + PP			White, Semi-matt	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,10	30
Papers										
Proficoat Poster Paper	BB115 - Universal	115	Multi-coated paper			White, blueback	Solvent (Eco / Mild / Hard) / Latex / UV		1,27	75
Proficoat Photo	PPM 220GL	250	Multi-coated paper			Gloss	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,10; 1,27; 1,52	30; 50
Proficoat Prime ART	PPM WB200	200	Multi-coated paper			Satin	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,067; 1,27; 1,37; 1,62	75
Proficoat PosterPro	WB200	200	Multi-coated paper			Matt	Solvent (Eco / Mild / Hard) / Latex / UV		1,067; 1,27; 1,37; 1,62	75
Proficoat PosterPro	PPM WB130	130	Multi-coated paper			Matt	Solvent (Eco / Mild / Hard) / Latex / UV		1,067; 1,27; 1,37; 1,62	75
Proficoat Postart	WB130	130	Multi-coated paper			Satin	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,067; 1,27; 1,37; 1,52; 1,62	75
Proficoat Postart	BB130	130	Multi-coated paper			Satin	Solvent (Eco / Mild / Hard) / Latex / UV		0,914; 1,067; 1,27; 1,37; 1,52; 1,62	75
Proficoat Poster Paper	BB115 - Offset	115	Multi-coated paper			White, blueback	Solvent (Eco / Mild / Hard) / Latex / UV		1,27	75
Wallpapers										
Wallpaper	WMT 130 VSC latex UV	130	Non-woven			Matt	Latex / UV		1,10	custom
Proficoat 4-Frame	CMT 200+	220	Non-woven Canvas			Matt	Solvent (Eco / Mild) / Latex / UV		1,05	30
Proficoat	WMT 300+	200	Non-woven			Matt	Solvent (Eco / Mild / Hard) / Latex / UV		1,05	30
Proficoat	WMT 200+	160	Non-woven			Matt	Solvent (Eco / Mild / Hard) / Latex / UV		1,05	30
Canvas										
Canvas	Poli Canvas 230	230	100% polyester				Water-based, Eco-solvent		0,914; 1,10; 1,27; 1,52	30
Canvas	Picasso CVS 350SM	350	65% polyester, 35% cotton				Eco-solvent, Solvent, Latex, UV		0,914; 1,10; 1,27; 1,52	25
Proficoat	PP 140+	140	Non-woven			Matt	Eco Solvent / Latex / UV		1,05; 1,27; 1,37; 1,60	30
Material for Water-based Inks										
AQUA	MPT FX-W-100+	275	Coated self-adhesive PVC			Matt	Water-based, Pigment		1,05	30
AQUA	PPM W200 SM	236	Coated photo paper			Matt	Water-based, Pigment		0,914	30

Best-seller

Best-seller

New

Best-seller

New


Proficoat

New

New

New

AQUA



IKONOS



Global range | Highest quality standards
High capacity & flexibility
Customer friendly
Certified

IKONOS

factory of coated - decoration - self adhesive films



Address: ul. Gostawicka 2D

45-446 Opole

Poland

Phone:

Fax:

E-mail:

+48 77 455 63 19

+48 77 455 63 17

export@ikonosmedia.eu